

# DRAG CHAIN INQUIRY FORM



HELUKABEL strives to design & engineer the best solution for your individual application. Please complete as much information on this form and e-mail to [dragchains@helukabel.com](mailto:dragchains@helukabel.com). One of our representatives will contact you directly for any additional details.

End User/OEM Company Data		
Company Name:		Contact:
Address:		Title:
City:		Phone:
State:	Zip:	Email:

Machine/Application/Environmental Data	
Machine Type Function:	One Off    Prototype    Standard (Qty/Month:    )
Dimensional Operating Limits: L=    W=    H=	Type:    Plastic    Hybrid    Steel    + Stay Covers Top/Bottom
Total Travel Distance:	Center Mounted:    Y    N if no, distance off center:    in.
Travel Speed:    ≤ 5 ft/s    ≤ 10 ft/s    >10 ft/s	Acceleration:    ft/s <sup>2</sup> Cycles/day:
Environment:    Indoor    Outdoor    Wet    Dry    Coastal Air	Ambient Operating Temperature Low:    High:
Travel Orientation:    Horizontal    Vertical-Hanging    Vertical-Standing    Side Running    Two Axis    Nested    Opposed	
Exposed To:    Corrosives    Chemicals    Solvents    Other Fluids    Abrasives    Wood/Plastic Chips/Dust    Metal Shavings	
Exposure Details:	
Guide Channel:    Single Piece (Standard)    Split Rail    Customer Design/Build    Other (Please provide details)	
Other Application Details:	

Fill Package Details						
Item #	Cable/Hose PN	Jacket Type	Qty	O.D.	Bend Radius	Weight (lbs/ft)